

Philips 172B9TL/00 computer monitor 43.2 cm (17") 1280 x 1024 pixels Full HD LCD Touchscreen Black

Brand : Philips

Product code: 172B9TL/00

Product name : 172B9TL/00

Monitor 172B9TL LCD monitor with SmoothTouch

Philips 172B9TL/00 computer monitor 43.2 cm (17") 1280 x 1024 pixels Full HD LCD Touchscreen Black:

A sturdy, water-resistant and dust-resistant, anti-glare touchscreen monitor for flexible use anywhere, with articulating stand to fit angles you need. Offering simple and intuitive use across applications, greatly boosts productivity.

Philips 172B9TL/00. Display diagonal: 43.2 cm (17"), Display resolution: 1280 x 1024 pixels, HD type: Full HD, Display technology: LCD, Response time: 1 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	43.2 cm (17")	Adjustable height (max)	7.6 cm
Display resolution *	1280 x 1024 pixels	Tilt angle range	-5 - 90°
HD type *	Full HD	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Native aspect ratio *	5:4		
Display technology *	LCD		
Panel type *	TN	Palm rejection area	30 x 30 mm
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✓	LED indicators	Operation, Stand-by
Touchscreen technology	Projected capacitive system	Power	
Touch technology	Multi-touch	Energy efficiency class (SDR) *	D
Number of simultaneous touchpoints	10	Energy consumption (SDR) per 1000 hours *	10 kWh
Display brightness (typical)	250 cd/m²	Power consumption (typical) *	9.14 W
Display brightness	250 cd/m²	Power consumption (standby) *	0.3 W
Response time *	1 ms	Power consumption (off)	0.3 W
Screen shape *	Flat	Power consumption (PowerSave)	7.7 W
Aspect ratio	5:4	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Contrast ratio (dynamic)	50000000:1	Power supply type	External
Dynamic contrast ratio marketing name	SmartContrast	Energy efficiency scale	A to G
Maximum refresh rate *	60 Hz	Operational conditions	
Viewing angle, horizontal	170°	Operating temperature (T-T)	0 - 40 °C
Viewing angle, vertical	160°	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.264 x 0.264 mm	Operating relative humidity (H-H)	20 - 80%
Pixel density	96 ppi	Operating altitude	0 - 3658 m
Horizontal scan range	30 - 85 kHz	Non-operating altitude	0 - 12192 m
Vertical scan range	48 - 75 Hz	Weight & dimensions	
Viewable size, horizontal	33.8 cm	Width (with stand)	376 mm
Viewable size, vertical	27 cm	Depth (with stand)	227 mm
Digital horizontal frequency	30 - 85 kHz	Height (with stand)	399 mm
Digital vertical frequency	48 - 75 Hz	Weight (with stand)	6.24 kg
Display diagonal (metric)	43.2 cm	Width (without stand)	376 mm
DDC/CI	✓		
Haze rate	5%		
Surface hardness	7H		

Display		Weight & dimensions	
Colour gamut standard	sRGB	Depth (without stand)	45 mm
Colour gamut	87%	Height (without stand)	322 mm
sRGB coverage (typical)	103%	Weight (without stand)	3.26 kg
Display sRGB	✓	Packaging data	
Performance		Package width	445 mm
NVIDIA G-SYNC *	✗	Package depth	159 mm
AMD FreeSync *	✗	Package height	420 mm
Component video sync	Separate Sync, Sync-on-green (SOG)	Package weight	7.95 kg
Flicker-free technology	✓	Packaging content	
Low Blue Light technology	✓	Stand included	✓
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1	Cables included	VGA, HDMI, DisplayPort, USB Type-A to USB Type-B, Audio (3.5mm), AC
Multimedia		Manual	✓
Number of speakers	2	Bundled software	SmartControl
RMS rated power	2 W	Sustainability	
Built-in speaker(s) *	✓	Sustainability certificates	ENERGY STAR, TCO
Design		Doesn't contain	PVC/BFR, Mercury
Product colour *	Black	Other features	
Front bezel colour	Black	International Protection (IP) code	IP65
Feet colour	Black	Display viewable area (HxV)	337.9 x 270.3 mm
Ports & interfaces		Picture enhancement	SmartImage
USB Touch port	✓	Regulatory Approvals	CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS
VGA (D-Sub) ports quantity	1	Mobile operating systems supported	Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4
HDMI ports quantity	1	Heavy metals free	Hg (mercury)
HDMI version	1.4	Folding angle	70°
DisplayPorts quantity	1	Touch method	Stylus, Finger, Glove
DisplayPort version	1.2	EasyRead mode	✓
Headphone out *	✓	Compliance certificates	RoHS, WEEE
PC Audio in	✓	Mean time between failures (MTBF)	70000 h
Ergonomics		Certification	CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, TUV/GS, TUV Ergo, CU-EAC, EAEU RoHS
VESA mounting *	✓	Recycling data	
Panel mounting interface	100 x 100 mm	Recyclable packaging material	100%
Cable lock slot *	✓	Logistics data	
Cable lock slot type	Kensington	Harmonized System (HS) code	85285210
Height adjustment *	✓		



8712581771157

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.