

## Axagon ADSA-D25 SuperSpeed USB DUAL 2.5" SSD/HDD MINI dock

**Brand :** Axagon

**Product code:** ADSA-D25

**Product name :** ADSA-D25 SuperSpeed USB DUAL 2.5" SSD/HDD MINI dock

- Input: USB 3.2 Gen 1
- Output: SATA 6G, UASP
- Device support: 2.5" HDD / SSD
- PC connection: USB type A-M, disconnectable cable, cable 1 m
- Design: Metal casing
- Extra: TRIM, disk cloning

ADSA-D25, USB 3.2 Gen 1, 2x SATA 6G, 2.5" SSD/HDD, Disk Cloning, Aluminum Body

Axagon ADSA-D25 SuperSpeed USB DUAL 2.5" SSD/HDD MINI dock. Storage media type: HDD, SSD, Storage drive interface: Serial ATA II, Serial ATA III, Storage drive sizes supported: 2.5". Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type micro-B. Product colour: Black, Material: Aluminium, Maximum data transfer rate: 5 Gbit/s. AC input voltage: 5 V. Windows operating systems supported: Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1, Linux operating systems supported: Kernel 2.6, Kernel 2.6.31, Kernel 2.6.33, Mac operating systems supported: Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac...



| Hard drive                               |                                        | Software                            |                                                                                                                                                                                                                                                        |
|------------------------------------------|----------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage media type *                     | HDD, SSD                               | Windows operating systems supported | Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1                                                                                                                                                                                              |
| Storage drive interface *                | Serial ATA II, Serial ATA III          | Linux operating systems supported   | Kernel 2.6, Kernel 2.6.31, Kernel 2.6.33                                                                                                                                                                                                               |
| Storage drive sizes supported *          | 2.5"                                   | Mac compatibility                   | ✓                                                                                                                                                                                                                                                      |
| Number of storage drives supported       | 2                                      |                                     |                                                                                                                                                                                                                                                        |
| Ports & interfaces                       |                                        |                                     |                                                                                                                                                                                                                                                        |
| Host interface *                         | USB 3.2 Gen 1 (3.1 Gen 1) Type micro-B |                                     | Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3                                     |
| USB 3.2 Gen 1 (3.1 Gen 1) ports quantity | 1                                      |                                     |                                                                                                                                                                                                                                                        |
| DC-in jack                               | ✓                                      | Mac operating systems supported     | Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey |
| Features                                 |                                        | Weight & dimensions                 |                                                                                                                                                                                                                                                        |
| Product colour                           | Black                                  | Width                               | 89 mm                                                                                                                                                                                                                                                  |
| Material                                 | Aluminium                              | Depth                               | 58 mm                                                                                                                                                                                                                                                  |
| Maximum data transfer rate               | 5 Gbit/s                               | Height                              | 59 mm                                                                                                                                                                                                                                                  |
| Plug and Play                            | ✓                                      | Weight                              | 137 g                                                                                                                                                                                                                                                  |
| Hot-Plug support                         | ✓                                      | Packaging data                      |                                                                                                                                                                                                                                                        |
| S.M.A.R.T. support                       | ✓                                      | Package width                       | 95 mm                                                                                                                                                                                                                                                  |
| TRIM support                             | ✓                                      | Package depth                       | 127 mm                                                                                                                                                                                                                                                 |
| LED indicators                           | Activity, Power                        | Package height                      | 65 mm                                                                                                                                                                                                                                                  |
| On/off switch                            | ✓                                      | Package weight                      | 262 g                                                                                                                                                                                                                                                  |
| UASP support                             | ✓                                      | Package type                        | Box                                                                                                                                                                                                                                                    |
| Certification                            | CE, RoHS                               | Packaging content                   |                                                                                                                                                                                                                                                        |
| Cooling                                  |                                        | AC adapter included                 | ✗                                                                                                                                                                                                                                                      |
| Built-in fan                             | ✗                                      | Cables included                     | USB Type-A to Micro USB-B                                                                                                                                                                                                                              |
| Power                                    |                                        | Manual                              | ✓                                                                                                                                                                                                                                                      |
| AC input voltage                         | 5 V                                    | Other features                      |                                                                                                                                                                                                                                                        |
|                                          |                                        | Connection to PC                    | ✓                                                                                                                                                                                                                                                      |
|                                          |                                        | Warranty period                     | 2 year(s)                                                                                                                                                                                                                                              |

| Other features          |          |
|-------------------------|----------|
| Compliance certificates | RoHS, CE |
| Logistics data          |          |
| Country of origin       | China    |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2026. Prints or copies of Information are only valid on the printed Publication date