

Delock USB to SATA 6 Gb/s Converter with USB Type-C™ or USB Type-A connector

Description

This Delock converter can be connected via **USB-C™** or **USB Type-A** interface to a PC or laptop. Thus a **2.5" SATA HDD or SSD** with a 22 pin SATA interface can be used.

Extensive connectivity

Due to the specially designed adapter, the Delock converter can be quickly and easily connected to the USB Type-A socket. Thus, it can be easily connected to new devices with USB Type-C™ female and older devices that only have a USB Type-A connector. The adapter is located directly on the cable and therefore it cannot be lost.



Item no. 61042

EAN: 4043619610426

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ male
 - 1 x SATA 6 Gb/s 22 pin receptacle
- Adapter:
 - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ female
 - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A male
- Chipset: Asmedia ASM1153e
- Suitable for 2.5" SATA HDD / SSD
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
- Data transfer rate up to 5 Gb/s
- Plug & Play
- Length incl. connectors: ca. 30 cm

System requirements

- Android 11.0 or above
- Chrome OS

- Linux Kernel 5.13 or above
- Mac OS 12.2.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port or
- A free USB Type-A port

Package content

- Converter
- Cover cap
- User manual

Images



General

Suitable for data medium:	2.5"
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Android 11.0 or above Linux Kernel 5.13 or above Mac OS 12.2.1 or above

Interface

Connector 1:	1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ male
Connector 2:	1 x SATA 6 Gb/s 22 pin receptacle

Technical characteristics

Chipset:	Asmedia ASM1153E
Data transfer rate:	5 Gbps

Physical characteristics

Cable length incl. connector:	30 cm
-------------------------------	-------